


F-tone Network 10KM SFP+ ER Optical Receiver

- ◆ Support rate up to 10Gbps
- ◆ 10km Fiber optic distance
- ◆ Low power consumption
- ◆ High reliability
- ◆ Low power consumption
- ◆ Single power supply
- ◆ High performance monitoring
- ◆ Low power consumption
- ◆ High performance monitoring
- ◆ High performance monitoring



- ◆ RoHS compliant
- ◆ Operating temperature:
 - Storage: 0 to +70
 - Operating: -40 to +85

- ◆ 10km SE-ER E (with or without FE)
- ◆ 10km Fiber optic distance
- ◆ High performance monitoring
- ◆ High performance monitoring
- ◆ High performance monitoring

F-tone Network SFP+ER Optical Receiver is a 10km SE-ER E 10km Fiber optic distance



e tr n cei er con i t o two ection : e tr n itter ection incorpor te co e EM er n
 t e recei er ection con i t o P N p oto io e inte r te wit o e ti c er
 et re ire ent F-tone Network SFP+ER i it i no tic nction re i e i -wire
 eri inter ce peci ie in SFF- w ic ow re -ti e cce to e ice oper tin p r eter
 c tr n cei er te per t re er i c rrent tr n itte optic power recei e optic power
 n tr n cei er pp ot e

S pp ot e	cc	-0		
Stor e e per t re	t	- 0		e
Re ti e i it	R	0		

S pp ot e	cc			
S pp c rrent	cc		0	0
Oper tin e te per t re	c	-	-	0 e
Mo e Power i ip tion	P	-		

S pp c rrent i re etween n R
 n-r i e ine c rrent e e o e te t te c rrent re ire ent

enter e en t		0			n
Optic er e Power	Po	0	-	+	
Optic OM Power	Po	-			
Si e Mo e S ppre ion R tio	SMSR	0	-	-	
Optic r n it Power (i e)	P _ S E	-	-	- 0	
E tinction R tio	ER			-	
R N OM				-	
Optic Ret rn o o er nce					

RN e re enti e wit ret rn o t

t R te	Mr	-	0		p
--------	----	---	---	--	---




np t i erenti i pe nce	Ri	-	00	-	Ω
i erenti t np t	t FF	0	-	0	
r n it i e ot e		0	-	cc +0	
r n itEn e ot e	en	0	-	+0	
r n it i e ert i e	n	-	-	00	

np t Oper tin e en t		0	-		n
er e recei e power		-	-	- 0	
Recei er en iti it in OM		-	-	-	
Stre e recei er en iti it in OM				-	
M i np tPower	R -o ero	-	-	-	
Re ect nce	Rr	N -	-	-	
o o Si n erte		-	-	-	
OS e- erte		-	-	-	
OS erte i		0	-	-	

Me re wit con or nce te t i n or ER 0- e tre e en iti it e int et e re or te
 e e ER e re ent w ic inc et e e ect o R circ it ti reco en e t t t e t0 ition
 r in e oc te i co ponent e e e re ent re e
 wit o t t e e ect o R circ it

t R te	Mr	-	0		p
i erenti O tp t Swin	o t P-P	0	-	0	
Ri e F i e	r		-	-	p
o o Si n - erte	O		-	cc +0 -	
o o Si n -Ne te	O	0	-	+0	




EE		r n i t t e r r o n
_F		r n i t t e r F t
_ S		r n i t t e r i e e r o t p t i e o n i o r o p e n
S		-w i r e S e r i n t e r c e t i n e
S		-w i r e S e r i n t e r c e c k i n e
MO _ S		M o e e n t r o n e w i t i n t e o e
RS0		RS0 o r R t e S e c t: O p e n o r o w M o e p p o r t ≤ p <input type="checkbox"/> M o e p p o r t t o 0
R _ OS		o o S i n i n i c t i o n o i c 0 i n i c t e n o r o p e r t i o n
RS		No c o n n e c t i o n r e i r e
0	ERR	










	+	r n itter in o pe
	-	r n itter n erte in o pe
0	EE	r n itter ro n

Mo e circ it ro n i o te ro o ec i ro n wit inte o e
 o e p e p wit k- 0k o on o t o r to o t e etween n
 _ i ei n in p t cont ct wit k toto 0k p p to cc in i ete o e
 Mo _ Si connecte to ee or ee R in te SFP+ o e e o t p t i cont ct p to cc _ o t wit
 re i to r in te r ne k to 0k Mo _ Si erte "i w ente SFP+ o ei p ic ent ro o t
 ot
 RS0 n RS re o e in p t n r







F-tone Networks

北亿纤通科技有限公司

集团旗下

F-tone Network SFP+ tr n cei eri e i ne to e 0 e er

